

A photograph of a modern, dark-colored garage door with horizontal panels, set within a light-colored concrete frame. The door is closed. The surrounding area includes a dark roof, a light-colored concrete wall, and a paved driveway. The text 'GARAGE doors' is overlaid on the image.

# GARAGE doors

GATES | WINDOWS | DOORS | FENCES

# Welcome to the world of garage doors by WIŚNIEWSKI


WIŚNIEWSKI garage doors combine a robust structure with timeless design, and your safety with utmost comfort. See how innovative technology makes life easier.

In the world of WIŚNIEWSKI garage doors, you will find solutions for any project. No matter what, you can be certain of their high quality and perfect tailoring to your needs.

WIŚNIEWSKI garage doors are energy-efficient and prevent heat loss. Searching for products for thermal efficiency improvement? WIŚNIEWSKI garage doors are the perfect choice.

5

up to 5 years  
**warranty**



**UniPro**

**guaranteed** at least 25,000 cycles\*

automatic operating units  
for **the smart home as standard**

**galvanized** structure

40 mm **panel**

Up=0.48 W/m<sup>2</sup>K

rollers with bearings

-

-

-

\* at least 20,000 for garage doors with extension springs



class:  
**standard**



## UniTherm

**guaranteed** at least 25,000 cycles

automatic operating units  
for **the smart home as standard**

**galvanized** structure

INNOVO 60 mm **panel**

$U_p=0.33 \text{ W/m}^2\text{K}$

**double** rollers with bearings

flexible **panel joint** covers

double bottom gasket



class:  
**premium**



## PRIME

**guaranteed** at least 25,000 cycles

automatic operating units  
for **the smart home as standard**

**galvanized** and  
powder-coated **structure**

INNOVO 60 mm **panel**

$U_p=0.33 \text{ W/m}^2\text{K}$

**double** rollers with bearings

flexible **panel joint** covers

double-chamber bottom gasket

**optical safety system** and safety  
system for mechanical elements



class:  
**exclusive**



# PRIME

Discover perfection in every detail. PRIME combines the highest level of safety, premium accessories, and broad customization options. It is a garage door just like your home – exceptional and unique.




RC2 anti-burglary  
**protection**



Excellent **thermal insulation**  
**0.33 W/m²K**



The highest  
**level of safety**



At least **25,000 cycles**  
for the garage door



The highest **aesthetics**  
**of workmanship**



# Safety

## in the exclusive dimension



Class: **exclusive**

PRIME is an exclusive new generation sectional garage door. Its design was based on the idea that every detail matters. Thanks to utmost attention to detail, you get a product that is one of a kind. Packed with exceptional solutions, unique elements, unequalled in terms of design and technology. The garage is no longer just a storage space – it is a part of your home you care for when choosing the PRIME garage door.



Energy  
**efficiency**

### Modern automatic operating units

Intelligent drive unit  
METRO Smart io or SPARK

### Coated elements of the structure

– when the visual aspect matters

### Perfect workmanship

– flexible panel joint covers conceal the hinges and guarantee a uniform look of the leaf


### Refined details

– the safety system will ensure your comfort and peace of mind



### The INNOVO 60 mm panel

makes it possible to obtain excellent thermal insulation parameters. It also constitutes a great base for the curtain structure.



### Safe and warm



Optical safety system




Safety system for  
mechanical elements



Double-lip gasket  
in the fascia panel



Circumferential  
gasket (double-lip)



Double-chamber  
bottom gasket



Top aluminium profile  
with a gasket

### One of a kind: PRIME Black Edition.

A garage that's beautiful inside and out?  
PRIME Black Edition is a unique garage door  
**with the inner part coated in black**, which can be  
combined with an almost unlimited number of colour  
variants of the front of the door. Utmost freedom of  
customization.



Discover more details  
on the PRIME garage  
door

# UniTherm

A warm home is not just a guarantee of comfort in your daily life.  
It also involves notable savings on heating bills.  
Guaranteed with the warm UniTherm garage door.



At least **25,000 cycles**  
for the garage door



Excellent **thermal insulation**  
**0.33 W/m²K**



The highest  
**level of safety**



RC2 anti-burglary  
**protection**

# A modern solution for the garage



class: **premium**



Energy  
**efficiency**

UniTherm is a PREMIUM class garage door – designed with demanding energy-efficient and passive buildings in mind. The warm structure of the INNOVO panels will allow you to lower your heating bills – UniTherm is over 20% warmer than the market standard! With the UniTherm garage door, we recommend the MOTO io, METRO Smart io or SPARK drive unit – an ideal set for your home!

## Long-lasting durability

– a spring system designed for 25,000 cycles.

## Panel joint covers

– protection and elegance

## The INNOVO 60 mm panel

makes it possible to obtain excellent heat transfer parameters.

## Double bottom gasket

closely seated against the floor, protecting the garage from dirt and pollution, while limiting heat loss


## Functionality and safety



**Double rollers with bearings** ensure quiet running of the garage door leaf.




**Flexible panel joint seals** increase tightness and conceal the hinges.



**Overload safety device** causes the garage door to automatically stop and reverse if it encounters an obstacle.



**Photocells (optional)** prevent uncontrolled movement of the door leaf if an obstacle is present within the clear passage.



**Integrated spring break safety device.** A guarantee of safety.



**Safe panel shape** prevents fingers from getting crushed.



## INNOVO

unique structure of the panel with a thickness of **60 mm** makes it possible to obtain excellent heat transfer parameters of the garage door.



Discover more details on the UniTherm garage door



# UniPro

Combines precision manufacturing with a vast range of designs, structures, colours, and decorative motifs. This lets you match the UniPro garage doors to both modern buildings and traditional houses.



High **thermal insulation**  
**0.48 W/m²K**



The highest  
**level of safety**



RC2 anti-burglary  
**protection**



At least **25,000 cycles**  
for the garage door

# The best as standard



class: **standard**

UniPro is a versatile garage door that will be a great choice for both stand-alone garages and those integrated with the building. Choose from five types of panel ribs, four structures, glazings, hundreds of colours, different framework types, and as many as 43 film coatings. Thanks to the simple and proven structure, it is reliable and easy to install, which will allow you to save a lot of time and money.



Energy  
efficiency

## Available in a manually-operated and automatic version

with the METRO Smart io, MOTO io or SPARK drive unit – choose a version that's best for you


## Long-lasting durability

– structure made of high-quality galvanized steel sheet

40 mm thick panels with a polyurethane foam infill

**Decorative motifs** – offering garage door customization options

## Quality you can trust



**Double-lip circumferential gasket**  
effectively improving thermal insulation.



**Quiet guiding rollers with bearings** – ensuring quiet running of the leaf.



**Integrated spring break safety device.**  
A guarantee of safety.



**Cable break safety device** – standard in garage doors with a surface of 9 m<sup>2</sup> or larger.



**Overload safety device** – causes the garage door to automatically stop if it encounters an obstacle.



**Top panel tilt\*** – the kit makes it possible to tilt the top panel of the garage door without the need to lift the door.  
\*option

## WICKET DOOR IN THE UniPro garage door

– an option enhancing garage functionality and guaranteeing daily comfort of use. An aesthetically finished wicket door is a functional solution for a garage without a side entrance door. You do not have to fully open the garage door to get inside. This translates into energy and time savings.

## THE HORIZON PANEL

– one of the most interesting optional features for WIŚNIEWSKI garage doors.

The slender and very elegant glazing is an element enhancing the design of the garage door and at the same time, it serves a practical function, letting more light into the garage interior. This subtle feature now has a new variant: with LED lighting.



Discover more details on the UniPro garage door



# RenoSystem SNP and SSt

## renovation made to measure

Our aim is to make garages more modern, energy-efficient, and comfortable. Thanks to the renovation system, modern sectional garage doors from WIŚNIEWSKI can be installed in existing garage door openings – even in more challenging spaces – without a lintel or side jambs.



### Renovation

without limits.

- Special structure for installation if there is no lintel or side jambs
- Panel fascia levelling the surface of the walls
- A broad spectrum of solutions for various installation challenges
- Adaptable installation options with a cover in front of, behind or in the opening



Safety



Universal installation





**Covers** in the same colour as the garage door leaf – for a better visual effect.





More details on renovation solutions


**Installation behind the opening –**  
cover behind the opening



**Installation in the opening –**  
cover in the opening



**Installation in the opening –**  
cover in front of the opening





# UniPro SNP 2.0

## a perfect renovation solution

The UniPro SNP 2.0 sectional garage door is intended for buildings with a low lintel, where there is not enough space under the ceiling, as well as for garages with a narrow side clearance, where the installation of standard solutions is impossible.

### Reliable structure and control

- The product is available in a manually-operated or automatic version with the METRO, MOTO or SPARK drive unit.
- The height of the lintel of the UniPro SNP 2.0 garage door should be at least 90 mm (manually operated version) / 100 mm (automatic version with the MOTO/METRO drive unit) / 120 mm (automatic version with the SPARK drive unit). The product is a perfect choice for stand-alone and attached garages, renovated or new.
- A special angle bar system enables garage door installation even in the case of a narrow side clearance with covers in the clear opening, ensuring an appealing look from the outside.
- As standard, the UniPro SNP 2.0 garage door is equipped with covers, always in the colour of the door leaf.



Looking for a garage door that will last for years? Then this is a great choice because one of the most important elements of the UniPro garage door – the extension spring system – was designed for 20,000 opening and closing cycles. Assuming four cycles per day, this means **up to 14 years of reliable operation.**

**Side gasket + cover in the garage door colour** for even better tightness and a sleek look.

**Guide rails fastened to the opening frame,** enabling adjustment on site.

**Universal installation method** with the option of cover installation in the opening.

**An arrow at the height of 950 mm,** facilitating precise installation of the structure.

**Double installation fixing holes** facilitating mounting on the wall.

**Guiding rollers with bearings** ensuring proper running of the garage door.




# Automation solutions

## Perfection in motion

An automatic garage door is the most functional solution for the home. A premium-class drive unit enhances the comfort of use of the garage, increases safety, and enables remote control from almost any place in the world.

Remember to commission crucial service work on your garage door with a drive unit only to trusted specialists, whose expertise will guarantee peace of mind for years to come.



### Compare and choose a drive unit for your garage door

#### METRO Smart io


- Easy programming
- 4-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Rail with a chain or belt
- Smart home – a wireless system
- EXTENDED CARE warranty – 5 years

#### MOTO io

- Easy programming
- 2-channel PULSAR io transmitter
- 3CH wall-mounted transmitter
- io radio transmission
- KEYPAD 2 code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Optional mechanical carriage lock
- Compatible with an emergency power supply battery
- Optional additional lighting available
- Rail with a chain or belt
- Smart home – a wireless system
- EXTENDED CARE warranty – 5 years

#### SPARK

- Easy and quick programming
- DART four-channel transmitter
- 2CH wall-mounted transmitter
- WIŚNIEWSKI 868 radio transmission
- ENTRACode+ code keypad
- Signal light
- Overcurrent obstacle detection
- Compatible with photocells
- Compatible with an electromagnetic motor lock
- Compatible with an emergency power supply battery
- Split rail with a fixed chain
- Smart home – a wireless system
- EXTENDED CARE warranty – 5 years



**PULSAR io** 4-channel transmitter

## METRO Smart io

A complete drive unit: packed with state-of-the-art solutions that will make your everyday life as safe and comfortable as possible. METRO Smart io combines all the best features – without compromise or limitations.

The drive unit was developed jointly by WIŚNIOWSKI and Somfy, a global leader in automation solutions and smart control systems.



**PULSAR io** 2-channel transmitter

## MOTO io

The MOTO io – a result of collaboration between WIŚNIOWSKI and Somfy – combines the most important characteristics of a safe, functional, and reliable drive unit. As standard, it provides all the crucial features that you can expand thanks to our range of accessories.



**DART** 4-channel transmitter

## SPARK

**WIŚNIOWSKI**  
868 MHz

Yet another modern solution in our range of automatic operating units for garage doors. It combines all the features of a state-of-the-art drive unit for garage doors – from easy programming to the possibility of control via the WIŚNIOWSKI Connected app. It offers a number of control and safety solutions and makes it possible to optimally design a functional and practical garage.


## Live more comfortably with smartCONNECTED

### TaHoma switch – the right solution for you if:

- You want to centralize control of the devices at your home
- You have a sectional or up and over garage door with the MOTO io or METRO Smart io drive unit
- You are planning to add more smart devices



WIŚNIOWSKI POWERED BY somfy.



### WIŚNIOWSKI Connected – the right solution for you if:

- You want to control your garage door via Wi-Fi
- You have a sectional or up and over garage door with the SPARK drive unit
- You are planning to add more smart devices



## LED lighting in the garage door structure. Even brighter.

Sometimes, the lighting installed in the garage does not provide as much light as needed. Occasionally, older garages do not have any lights on the ceiling or on the walls. In such situations, functional **LED lighting** mounted to the garage door structure, under the tracks and track connector, is the perfect choice.

The lighting is placed in black aluminium profiles – this elegant solution gives the interior more character. It can be adjusted and fixed to both new garage doors and those already in use. This way, garages in older buildings can also gain better lighting. **LEDs are energy-efficient and long-lasting** – it is a guarantee that **your electricity bills won't go up**. In doors equipped with the METRO Smart io or SPARK automatic operating units, the lighting switches on together with the door drive unit. However, in the METRO Smart io drive, the lighting can also be controlled independently using a drive unit transmitter or the TaHoma app.



## Accessories for automatic operating units for garage doors. Even more comfort



### KEYPAD 2 code keypad

Enables drive unit control in the io-homecontrol technology.

The 2-channel code keypad makes it possible to control drive units and wireless receivers.



### 3CH wall-mounted transmitter

The 3-channel transmitter enables control of the drive units and wireless receivers.

Examples of use:

- - full opening/closing the door,
- - LED lighting under the tracks and/or track connector
- - top panel tilt.

Wireless communication makes it possible to install it in any place and doesn't require any cables.



### Photocells

prevent uncontrolled door leaf movement when an obstacle is present within the clear passage.





## Garage ventilation feature

A practical feature which makes it possible to air the garage without opening the entire door. The interior of the building is fully secure, as only the top panel is tilted.



## Mechanical carriage lock

It prevents the garage door from being opened from the outside by unauthorized persons, e.g. by prising it open. It increases the safety of the garage and the entire house.



## External io radio receiver

Lets you control the drive units using the Pulsar transmitter. It is a two-channel device where you can program as many as 16 transmitters.



## Backup power supply battery

It provides power for several cycles of emergency operation in case of a power outage: for instance, in order to drive out of or into the garage.

## Other accessories



### ENTRAcode+ code keypad

The backlit keypad makes it easier to enter the individual numeric code. A wireless device that does not require any wiring and is designed for surface mounting. Makes it possible to open the garage door also without the key or access card.



### 2CH wall-mounted transmitter

This two-channel transmitter enables drive unit control with radio transmission. The device has a feedback function that informs the user about the position of the door using a LED.





### WIŚNIOWSKI 868 radio receiver

A solution based on a two-way radio protocol which makes it possible to install and extend the control system without the need to drill holes in the wall. It is a perfect solution for modernization or renovation projects.

# Up and over garage doors

## a proven classic.



## Simple design and reliable operation

**Up and over garage doors** are a popular and reliable solution, valued for their simple design and ease of use. Available in insulated and uninsulated versions, with a wide range of models and colours, they can be tailored to individual needs.



An economical solution



Perfect for stand-alone garages



In the most popular colours



Read more about up and over garage doors



# Single- and double-leaf garage doors

## quality at an affordable price.

**Opening limiter** – controls the movement of the garage door leaf and prevents it from being opened too wide.

**Hinge limiter** – prevents the leaf from being prised open.

**Screwed joints** – guarantee stability of the entire structure consisting of galvanized steel profiles.

**Self-latching bolt** – makes it easier to close the door.

**Example designs of double-leaf garage doors**



Vertical low



Design 1 – horizontal low



Design 7 – slanted "SA"



Design 9 – horizontal high – shutter



Design H – horizontal high



Design 8 – horizontal low – shutter



Garage door with portholes and ventilation grilles

**Support foot** – prevents the garage door from closing in an uncontrolled manner.

**Thermal insulation\*** – expanded polystyrene finished with a PVC panel  
\* option

### Simply proven, simply good.

**Single- and double-leaf doors** are the most economical closure system for a garage. Simple and proven solutions guarantee an affordable price and reliable operation.

- Frame elements made of galvanized steel profiles.
- High stability thanks to screwed joints.
- Durable panels infilling the leaves made of high-quality galvanized T10 steel sheet.
- Safeguard preventing the garage door from being prised open thanks to a reliable hinge lock.
- Opening limiter protecting the garage door leaf from being opened too wide.
- Support foot preventing the garage door from closing in an uncontrolled manner.
- Self-latching bolt facilitating closing.
- Various models, colours, and designs to choose from.
- Infill available in a vertical, horizontal or slanted orientation.
- Optionally available with thermal insulation.



An economical solution



Perfect for stand-alone garages



In the most popular colours



Read more about single- and double-leaf garage doors



# Accessories and colour options for sectional garage doors

**4 structures.** A detail highlighting the garage door design.




Woodgrain



Smoothgrain



Sandgrain



Silkline

**5 rib designs.** Classic or modern? Choose the style that suits you.



G - without ribs



W - high ribs



N - low ribs




V - V ribs



K - caisson ribs

**Example decorative motifs and design options.** Customize your garage door by taking advantage of all the available options.





## Available colours:

<b>Anthracite</b> Sandgrain	<b>Golden Oak</b> Woodgrain	<b>Walnut</b> Woodgrain	<b>Graphite RAL 7016</b> Woodgrain	<b>Graphite RAL 7016</b> Silkline	<b>Black RAL 9005</b> Silkline
<b>Brown RAL 8014</b> Woodgrain	<b>Silver RAL 9006</b> Woodgrain	<b>Silver RAL 9006</b> Silkline	<b>White RAL 9016</b> Woodgrain	<b>White RAL 9016</b> Silkline	<b>Golden Oak</b> Smoothgrain
<b>Walnut</b> Smoothgrain	<b>Anthracite Grey</b> 701605-167 Smoothgrain	<b>Cream White</b> 137905-167 Smoothgrain	<b>Dark Green</b> 612505-167 Smoothgrain	<b>Metbrush Silver</b> F436-1002 Smoothgrain	<b>Silbergrau</b> 116700 Smoothgrain
<b>White</b> 915205-168 Smoothgrain	<b>Chocolate Brown</b> 887505-1167 Smoothgrain	<b>Anthracite Quartz</b> 436-1014 Smoothgrain	<b>AnTEAK</b> 3241002-195 Smoothgrain	<b>Dark Oak</b> 2052089-167 Smoothgrain	<b>Swamp Oak</b> 3167004-167 Smoothgrain
<b>Summer Cherry</b> 3214009-195 Smoothgrain	<b>Macore</b> 3162002-167 Smoothgrain	<b>Oregon</b> 1192001-167 Smoothgrain	<b>Sapeli</b> 2065021-167 Smoothgrain	<b>Siena Noce</b> 49237 PN Smoothgrain	<b>Siena PL</b> 49254-015 Smoothgrain
<b>Siena Rosso</b> 49233 PR Smoothgrain	<b>Winchester</b> 49240 XA Smoothgrain	<b>Black Cherry</b> 3202001-167 Smoothgrain	<b>Natural Oak</b> 3118076-1168 Smoothgrain	<b>Douglas Fir</b> 3152009-1167 Smoothgrain	<b>Rustic Oak</b> 3149008-167 Smoothgrain
<b>Sheffield Oak Light</b> F 456-3081 Smoothgrain	<b>Sheffield Oak Grey</b> F 436-3086 Smoothgrain	<b>Brush Schwarzbraun</b> F436-1023 Smoothgrain	<b>Earl Platin</b> 119500 Smoothgrain	<b>Black Ulti-Mat</b> PX47097 Smoothgrain	<b>Woodec Turner Oak</b> Malt F4703001 Smoothgrain
<b>Woodec Sheffield Oak</b> Alpine F4703002 Smoothgrain	<b>Woodec Sheffield Oak</b> Concrete F4703003 Smoothgrain	<b>Umbragrau</b> F436-6065 smoothgrain	<b>Fenstergrau</b> F436-6066 Smoothgrain	<b>Cremeweiss</b> F456-6001 smoothgrain	<b>Anthrazitgrau</b> F436-6003 Smoothgrain
<b>Dark Grey Silk</b> 4367003 Smoothgrain	<b>Golden Oak</b> 2178001-167 Smoothgrain	<b>Walnut</b> 2178007-167 Smoothgrain	<b>Anthracite Quartz Mat</b> F4701014 Smoothgrain	<b>Woodec Turner Oak</b> Toffee F4703004 Smoothgrain	<b>Irish Oak</b> 3211305-1148 Smoothgrain
<b>Sable Noir</b> 2100 Silkline	<b>Sable Noir</b> 2100 Woodgrain	<b>Avellino Corten</b> smoothgrain	<b>Goldbronze</b> smoothgrain		



Scan and explore more colours and solutions for garage doors!





# Home Inclusive.

## A system created for harmony

**The Home Inclusive system** combines durability and high quality of WIŚNIOWSKI garage doors, gates, windows, doors, and fences with broad customization options.

Looking for durable and beautiful solutions for your home? Good design and harmonious appearance of your property is important to you? **Choose from 16 refined colours with a unique metallic 3D structure, pick patterns and details, and make your dream about a perfect home become reality.**


Garage doors, gates, windows, doors, and fences in matching design

- Various design combinations
- 16 stunning colours
- Corrosion protection: hot-dip galvanizing and powder coating


### HI EARTH



### HI STONE



### HI STEEL



### HI RUBY



**Find inspiration**  
and bring your dreams to life!











**Side doors.** Aluminium panel doors can be perfectly matched to garage doors. Their infill is the very panel used for manufacturing the sectional door leaf.



## Extended Care


# 5

up to **5 years warranty**

The EXTENDED CARE warranty offers a unique possibility to extend the warranty on automatic sectional garage doors factory-configured with the METRO Smart io, MOTO io or SPARK drive unit.



## smartCONNECTED



Control your home and property from any place in the world. The smartCONNECTED system integrates WIŚNIOWSKI garage doors, gates, windows, doors, and fences. Set scenarios, open, close, check the status, and monitor.

## Find inspiration!



Discover our online catalogues

## Where to buy



Scan the QR CODE  
and **find a point of sale!**

<https://www.wisniowski.pl/en/distribution>

## Perfection in every detail

**WIŚNIOWSKI Sp. z o.o. S.K.A.**

33-311 Wielogłowy, Poland

 /wisniowski\_official

 /wisniowski.group

The products shown in the photographic material often feature special accessories and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIOWSKI Sp. z o.o. S.K.A. • 04/25/EN

